

Individual Testing Corn

Amway

www.accessbusinessgroup.com

Irrigation Research Foundation -- Yuma, CO

Plot Size: 4 rows per variety
Planting Populations: 35,500

Planting Date: 5/6/10
Harvest Date: 10/15/10

Application Dates

Strip-Till: 20.5 - 35.8 - 0 @ 10 gal @ 4" & 15 gal @ 10"

4/9/10

Through Sprinkler: 28-0-0-5 @ 10 gal./acre

6/3/10

6/17/10

7/10/10

7/17/10

Herbicide Treatments

4/28/2010
Degree Xtra @ 3 qt/acre
Round-Up @ 32 oz./acre
Class Act @ .54 qt/acre

6/10/2010
Round-Up @ 32 oz./acre
Synurgize @ 32oz./100 gal.

TREATMENT: Application Date: 5/6/10	YIELD (bu./acre)	
	Adj. to 15.5% Moisture	Moisture/Test Wgt.
Control - No Starter	203.61	14.8/55
8 oz Nutriplant SL in 4 gal H2O/acre applied in-furrow @ planting (no starter fertilizer)	203.66	14.2/55

PLOT SUBJECT TO HIGH WINDS

*Weather, daytime temperatures and other factors affect data results, as in any year.
The Irrigation Research Foundation strives to record and control these factors where possible.
Not all of these factors are measurable or recognized.*