



AMWAY

www.amway.com

40161 Highway 59 Yuma, CO 80759

www.irf-info.com

2015 IRRIGATED CORN

Field:	Circle B - North East 1/4	Planting date: 5/13/2015
Population:	34K	Harvest date: 10/31/2015
Variety:	G07B39-3111A	Application Dates
Strip-till:	(Analysis) 17 - 8 - 1 - 4.8 s applied 10 gal./ac. @ 4" and 13 gal./ac. @ 10"	3/30/2015
Soil Detoxifier:	OVERHAUL @ 2 qt./ac.	3/26/2015
2x2 Starter Fertilizer:	(Analysis) 15.7 - 8.9 - 2.6 - 2.6s - .1Zn @ 18 gal./ac.	5/13/2015
Through Sprinkler:	28-0-0-5 @ 6 gal./ac.	6/11/2015
	28-0-0-5 @ 6 gal./ac.	6/16/2015
	28-0-0-5 @ 6 gal./ac.	6/24/2015
	28-0-0-5 @ 10 gal./ac.	7/3/2015
	28-0-0-5 @ 10 gal./ac.	7/12/2015
Applied Water:	9.96 inches	
Rainfall:	14.7 inches	
Treatment Standards:	LUMAX EZ @ 2.4 qt./ac. + TOUCHDOWN TOTAL @ 32 oz./ac. + AMS @ 1 qt./100 gal. + NIS @ 1 qt./100 gal.	5/15/2015

PROTOCOL	Moisture	Average Bushels / Acre
NUTRIPLANT SL @ 8 fl. oz./ac. in 4 gal. of WATER APPLIED IN-FURROW + STANDARD IRF 2X2 STARTER NUTRIPLANT AG at 6 - 8 leaf stage @ 16 fl. oz./ac. APPLIED 7/2/2015	19.6	208.2
CONTROL WITH STARTER	20.8	203.8

Plants subjected to heavy rainfall and near freezing temperatures in the early months after emergence, and hail late in the season.

Weather, daytime temperatures and other factors affect data results, as in any year.

The Irrigation Research Foundation strives to record and control these factors where possible.

Not all of these factors are measurable or recognized.

[For weather information please go to www.coagmet.com](http://www.coagmet.com), monthly summaries, select the month, year and the Yuma station.