

2015 UNDERGROUD DRIP CORN

Field:	F	Planting Date: 4/24/2015
Population:	34K	Harvest Date: 10/12/2015
Variety: DKS 54-38	DKS 54-38	Application Dates
2x2 Starter Fertilizer:	(Analysis) 15.7 - 8.9 - 2.6 - 2.6s - .1Zn @ 18 gal./ac.	4/24/2015
Rainfall:	15.75 inches	
Treatment Standards:	LUMAX EZ @ 2.7 qt./ac. + TOUCHDOWN TOTAL @ 32 oz./ac. + AMS @ 1 qt./100 gal. + NIS @ 1 qt./100 gal.	4/24/2015
	STATUS @ 6 oz./ac. + ROUNDUP WEATHER MAX @ 32 oz./ac. + AMS @ 1 qt./100 gal. + NIS @ 1 qt./100 gal.	6/22/2015

PROTOCOL	Moisture	Total Bushels / Acre
APSA-80 @ 15 oz./ac. APPLIED 4/24/2015	15.0	110.1
APSA-80 @ 30 oz./ac. APPLIED 4/24/2015	14.2	104.8
CONTROL	14.3	95.6

Plants subjected to heavy rainfall and near freezing temperatures in the early months after emergence, and hail late in the season.

Weather, daytime temperatures and other factors affect data results, as in any year.

The Irrigation Research Foundation strives to record and control these factors where possible.

Not all of these factors are measurable or recognized.

For weather information please go to www.coagmet.com, monthly summaries, select the month, year and the Yuma station.