





www.syngenta-us.com

PLANTING DATE: 9/27/2016

HARVEST DATE: 7/7/2017

APPLICATION DATE

9/19/2016

9/27/2016

4/14/2017

5/8/2017

5/5/2017

IRRIGATED WHEAT FUNGICIDE TRIALS

LATERAL SOUTH FIELD:

120# / ACRE POPULATION:

AVERAGE TEST WEIGHT 60.9 lbs./bu.

AVERAGE PROTEIN 13.30%

TILLED:

APPLIED WATER:

IGNITION @ 3 gal./ac. + ACCELERATE @ .5 gal./ac. + REV UP @ 10 oz./ac. + 32 - 0 - 0 @ 3 gal./ac. IN-FURROW STARTER FERTILIZER:

28 - 0 - 0 - 5 @ 10 gal./ac. THROUGH REINKE SPRINKLER:

28 - 0 - 0 - 5 @ 10 gal./ac.

100% Water = 8.49"

FUNGICIDE TRIVAPRO A @ 4.1 oz./ac. + TRIVAPRO B @ 10.5 oz./ac.

RAINFALL:

8.88 inches

September - 0", October - .37", November - 0", December - .07", January - .17", February - .04", March - .72", April - 2.28", May - 2.22". June - 2.74", July - .27"

Water Deficit = 6.59"

AXIAL STAR @ 16.4 oz./ac. + ORION @ 17 oz./ac. + ALTO @ 4 oz./ac. + WARRIOR II @ 1.5 oz./ac. GROUND SPRAY APPLICATIONS:

4/10/2017

	FUNGICIDE VARIETY	AVERAGE PROTEIN	AVERAGE TEST WEIGHT	NO FUNGICIDE		FUNGICIDE APPLIED				NO FUNGICIDE	
				8.49" APPLIED WATER		8.49" APPLIED WATER		6.59" APPLIED WATER		6.59" APPLIED WATER	
				MOISTURE	BUSHELS PER ACRE	MOISTURE	BUSHELS PER ACRE	MOISTURE	BUSHELS PER ACRE	MOISTURE	BUSHELS PER ACRE
	SY WOLF TREATED	14.2	59.5	ALTO @ 4 oz./ac. APPLIED 4/10/2017		ALTO @ 4 oz./ac. APPLIED 4/10/2017		ALTO @ 4 oz./ac. APPLIED 4/10/2017		ALTO @ 4 oz./ac. APPLIED 4/10/2017	
				13.1	88.0	13.2	92.3	13.4	84.2	13.6	80.1
		14.5	56.0	TRIVAPRO @ 13.7 oz./ac. APPLIED 4/10/2017		NO EARLY FUNGICIDE APPLICATION		NO EARLY FUNGICIDE APPLICATION		TRIVAPRO @ 13.7 oz. /ac. APPLIED 4/10/2017	
				13.3	85.8	13.1	87.8	13.1	80.0	13.2	70.5

Weather, daytime temperatures and other factors affect data results, as in any year. The Irrigation Research Foundation strives to record and control these factors where possible. Not all of these factors are measurable or recognized.

For weather information please go to www.coagmet.com, monthly summaries, select the month, year and the Yuma station.